ARROW

MATERIAL HANDLING PRODUCTS

QUALITY BUILT FORKS & ATTACHMENTS

QUICK DELIVERY & LOWEST COST OF OWNERSHIP

ARROWMHP.COM
SALES@ARROWMHP.COM
(800) 821-7563 (913) 495-4800

HEAVY DUTY FORKS

Arrow has been a leading supplier for over 45 years and stocks more than 10,000 pairs of forks

ITA & SHAFT MOUNT FORKS

CLASS I, II, III, IV & V

286 Different Styles & Sizes
(1" x 2" x 36" to 6"x 16" x 192")
(250 x 510 x 910 mm to 1520 x 4060 x 4880 mm)

Meets or Exceeds Standards:
ANSI/ITSDF B56.11.4 & ISO 2330

BLANK FORKS

Engineered To Order
Custom Forks:
Built & Shipped in 10 Days or Less

"THE STRENGTH IS IN THE STEEL"

FTP & SPECIAL FORKS

34 Different Full Tapered and Polished Sizes in Stock
Special Orders Ship in 5 Days or Less

TELEHANDLER & LOADER FORKS

For all makes of forklifts, telehandlers, loaders & special applications

Made from heat treated alloy steel, the strongest process available

BUCKET FORKS

16 SIZES AVAILABLE IN STOCK



Load Capacity from 1,500 lb. to 28,000 lb. (680 kg to 1,270 kg)

Attach in Seconds Without Tools!

Clamp-On, Drive-In, 4-In-1

FORK EXTENSIONS

Formed GR 50 Steel
Sold in Pairs Only
Multiple Stock Sizes

Custom Sizes Available Upon Request

CLAMP-ON FORKS



2 Lift Capacities Help Protect Loader Buckets

Light Weight Clamp-on Forks Maximize Lift Capacity on Smaller Tractors

* Please Note: Replacement clips, hangers, eyes and lock pins available for all heavy duty forks

MICRO ATTACHMENTS

Couples to most Compact & Standup Skid Steers & Tractor Loaders

MICROMAX & MINIMAX SERIES

FORK & FRAME ASSEMBLIES

Capacity: 900 lb. to 2,000 lb. (408 kg to 907 kg)
Product weighs only 130 to 212 lbs. (59-96 kg)
Includes Arrow high strength alloy steel forks

MICRO BUCKET WITH TEETH

36" or 42" (91 or 107 cm) bucket fits through standard gates
Heavy duty bracing
Great for landscaping work with today's compact equipment

MICRO MULCH BUCKET

Reinforced edges for strength & easy cleaning
Square reinforced heel - great for back dragging

MICRO GRAPPLES

FOR SKID STEERS & TRACTOR LOADERS

2" (5.1 cm) cylinder for stronger load clamping

Excellent for handling brush, branches, landscaping materials & more

MICRO SNOW BLADES

Heavy Duty Angle Blade
Spring loaded moldboard protects against hidden obstacles
Rubber edge available
Hydraulic adjust angle

MAX FRAMES & FORKS

Universal mountings to fit skid steers & compact tractors

MIGHTY MAX SERIES

4,500 lb. (2,041 kg) capacity

True ITA upper hanger bar for strength & fork fit, not a beveled plate

Arrow ITA forks included

** Walk Thru Available*

DURAMAX & DURAMAX PLUS

5,500 lb. (2,495 kg) capacity

Socket receiver for trailer hitch or bale spear kit on Plus Model

Arrow ITA forks included

** Walk Thru Available*

SUPERMAX SERIES

9,000 lb. (4,082 kg) capacity

Class III ITA Rail Mount 1.5" x 7" (38 mm x 178 mm) upper and lower bars

Great for Agriculture Applications

MULTIMAX SERIES



Light weight for capacities up to 5,500 lbs.(2,495 kg)

ITA Class II upper and lower bars

Optional Bale Spear & Mountings

HYDROMAX FORK POSITIONER

5,500 lb. (2,495 kg) capacity

Integral hydraulics provide 17.5" (44.5 cm) of movement for each fork

Forks move simultaneously

Includes Arrow ITA Class II 42" or 48" forks (107 cm or 122 cm)

RIGID MAX HD FORK & FRAME

For quarries, salvage yards & applications that put side presure on forks

Forks welded to assembly

PROMAC FRAMES & FORKS

PROMAC 12 TO 40HD

ProMac 12: 12,000 lb. (5,443 kg) capacity. For Loader Backhoes, Telehandlers, Compact Wheel Loaders, Rough Terrain Tractor Loaders

ProMac 15: 15,000 lb. (6,804 kg) capacity. For Small Wheel Loaders & Telehandlers

ProMac 20: 20,000 lb (9,072 kg) capacity. For Wheel Loaders

Frame Width 48" to 108" (122 to 274 cm) in stock

ProMac 26: 20,000 lb. (9,072 kg) to 26,000 lb. (11,743 kg) capacity. For Larger Wheel Loaders

ProMac 40: 40,000 lb. (18,144 kg) capacity. For Very Large Wheel Loaders

Capacity: 10,000 lb. to 60,000 lb. (4,536 kg to 27,216 kg)

PROMAC TILT CARRIAGE

ProMac Carriage tilts 10° to each side

Adjustable, anti-swing shaft mount forks included

Frame options include Floating Shaft (for rough terrain applications), Wheel Loader Models

PROMAC LOG GRAPPLE

Frame width 72" (183 cm) or wider

Paddle style arm opens to 98" (249 cm) wide

Adjustable, anti-swing shaft mount forks included

Frame options include Floating Shaft (for rough terrain applications), Wheel Loader models

ATTACHMENTS W/GRAPPLES

MAX GRAPPLE BUCKETS

For Skid Steers & Ag Loaders

Available in 66" (168 cm) and 72" (183 cm) inside widths with 0.7 yard (0.5 cubic meter) capacity

Four grapple arms

Two Hydraulic cylinders with guards

Opens to 42" (107 cm)

PROMAC GRAPPLE BUCKET

Heavy Duty grapple arms

Two 3000 psig (207 bar) hydraulic cylinders with guard

Reinforced bucket radius for strength, rigidity, easy clean out and back dragging

SUPER DUTY GRAPPLE

FOR SKID STEERS



1" (25 mm) High Tensile Steel
AR 400 BHN tips
Most clamping and crushing power available
Crushing force at tips: >3.5 tons (3175 kg)
Offered in 6 tine (44") (112 cm),
10 tine (44") (112 cm) and 10 tine wide (74") (188 cm) configurations

Strongest Skid Steer Grapple on the Market!

SINGLE & DUAL ARM GRAPPLES

PIPE GRAPPLE

Available capacity from 10,000 lb. to 40,000 lb. (4,536 kg to 18,144 kg)

Sized to fit any Telehandler or Wheel Loader

3,000 psi (207 bar) hydraulics - Comes plumbed (hoses & couplers included)

Ideal for bulk handling of any size Range 2 or 3 casing, tubing or drill pipe

MACGRAB GRAPPLE

FOR TELEHANDLERS & LOADER BACKHOES

Single or dual arms available

Opens to 72" (483 cm)

Includes 48" (122 cm) forks

DUR-A-GRAB GRAPPLE

FOR SKID STEER LOADERS

Flow control valves adjust closure speed

48" (122 cm) Forks

Fully Load & Pressure Tested!

CARRIAGE MOUNTED GRAPPLE

For Class II, III & IV Carriages

Available in two configurations:
- **Tip meets level of forks**
- **Tip drops below level of forks (for smaller items)**

HEAVY DUTY BUCKETS

MINI BUCKETS



Fits Stand Up or Small Skid Steers & Tractors

Mulch & Tooth Buckets Available

36", 42", 44" and 48" width" (91, 107, 112, and 122 cm)

REINFORCED MAX BUCKETS

FOR SKID STEERS

60" to 84" (152 cm to 213 cm) inside widths

Capacity 0.4 to 0.7 yards (0.3 to 0.5 cubic meters)

Optional reversible Bolt-on Cutting Edge, Spill Guard, & Teeth

BULK & SNOW BUCKETS

Heavy Duty Construction

Available in 84" or 96" widths (213 or 244 cm)

Bolt-on edge is standard

REINFORCED PROMAC BUCKET

FOR TELEHANDLERS

Available in 1.2 & 1.5 yd (0.9 to 1.2 cubic yds) utility or 2.5 yd (1.9 cubic yds) material

Bolt-on or weld-on cutting edge

72" or 96" (183 cm or 244 cm) width

FORK - MOUNTED BUCKETS



60", 72" or 96" width (152 cm, 183 cm or 244 cm)

Fits forks up to 2.5" (6.4 cm) thick x 7" (17.8 cm wide)

WORK PLATFORMS

UNIVERSAL FORK MOUNTED

Center Gate

Heavy Duty Expanded Metal Flooring

Latchable Gates w/ Safety Stop (Swing In For Safety)

Removable Rails for Easy Transportation



Utility Platform

Includes Transporation Pockets & Lanyard Hook Points

Meets OHSA & ANSI Standards

Available in 48" (122 cm) width, 48" (122 cm) to 192" (488 cm) length. Optional mast protection screens available

TRAILER SPOTTERS

Styles & Sizes to Match Your Needs!

SOLUTION TO OHSA ISSUE

of no holes in fork blades or lifting surfaces

Standard Duty

Takes Any Size Ball Hitch



Heavy Duty
Shown On Forks (Not Included)

3 Point Hitch

Narrow Heavy Duty Trailer Spotter
4 Types Available

5th Wheel Spotter

8 Models In Stock

AUGERS

Auger Bits are available from 4"to 48" diameter

Auger Drive Systems include Auger Drive, Hoses, Frame and Cradle and are available in 2" & 2.5" Hex Diameters.

High torque models are available to meet tough applications.

AUGER STUMP PLANERS

For Skid Steer Loaders, Excavators and Backhoes

Easily Attach to Arrow Auger Drives

Available in 10" & 14" diameters

Quick and easy ground preparation saves time and money!

SELF-DUMPING HOPPER

Fork Mounted, Strong & Durable

All Welded, Self-Dumping, Stackable

Equipped with Safety Retaining Chain, Safety Latch and Remote Trip Rope Assembly

Sizes: 1.0 - 2.5 cubic yard

BOOMS

TRUSS BOOMS

Designed for Skid Steers, Tractors & Back Hoes

1,000 lb. (454 kg) capacity

Add Versatility to your Variable Reach Forklifts

Available in 12' & 15' (3.7M & 4.6M) with quick coupler mount. Also available in Fork Mount.
2,000 lb. (907 kg) capacity

Fork pockets for direct mounting on any equipment with forks
Equipped with safety chain & safety hooks
Fork pockets accept up to 2 1/4" (5.7 cm) thick, 6" (15.2 cm) wide forks
2,000 lb. (907 kg) capacity

EXTENSION BOOMS



1,000 to 13,000 lb. (454 to 5,897 kg) capacity

Fork pockets sized to fit most common forks

RAMS

Fork, Low Profile Fork & ITA Mounts
COMPLETE LINE OF
2 1/2" or 3" (6.4 or 7.6 cm) in 9', 10', 11' & 12' (274, 305, 335, 366 cm) Lengths

Fork Mount w/T-Handle Latch Down

Low Profile Fork Mounted

CARRIAGE BARS & SHAFTS

High strength carbon or alloy steel

8 Stock Sizes available for Carriage Bars

Class II, III & IV

Wide selection of shaft bars in stock!

FORK SPREADERS

Built To Fit Your Needs!

Choose capacity, width, fork pocket size & coupling method

SNOW BLADES

ARROW SNOW BLADE FOR SKID STEERS, MINIS & TRACTOR LOADERS

48" (1.2M) wide blades for standup or mini skid steers

ASPHALT CUTTERS

Easy clamping with four-point contact

Easy tightening with built-in handle

Wide stable contact with bucket or blade

Replaceable cutting wheel made of heat treated, abrasive resistant steel

CUSTOM FORKS & ATTACHMENTS FOR UNIQUE APPLICATIONS





LET ARROW DESIGN AND BUILD A CUSTOM ATTACHMENT TO FIT YOUR NEEDS

Arrow's design, engineering, research and development teams are experienced in creating custom attachments for unique applications. Using Solid Works 3D CAD software and Finite Element Analysis (FEA) the Arrow team can collaborate in a variety of formats. Once design consensus is achieved, your attachment is manufactured by certified machinists and welders using precision state of the art CNC machines.

Robustly designed and built attachments, superior availability and customer service with a sense of urgency

NO NEED TO COMPROMISE SAFETY OR EQUIPMENT UTILITY

Arrow carries forks and attachments for most model Forklifts, Skid Steers, Loaders, Telehandlers, Excavators, Tractors and Backhoes; including Large, Medium, Compact and Mini.

ARROW
MATERIAL HANDLING PRODUCTS

ARROW MATERIAL HANDLING PRODUCTS
16000 WEST 108TH STREET, LENEXA, KS 66219
(800) 821-7563 (913) 495-4800

ATLC16322
© ARROW MHP 2016